SIEMENS

Karta informacyjna 8WD4220-5AC



Światło ciągłe, z wbudowaną LED, zielony, AC/DC 24 V, średnica 50 mm

Nazwa markowa produktu	SIRIUS
oznaczenie produktu	Element ze światłem ciągłym
wykonanie produktu	z elementem świecącym
Ogólne dane techniczne	
rodzaj napięcia napięcia roboczego	AC/DC
napięcie robocze	
● 1 przy DC wartość znamionowa	24 V
● 1 przy AC przy 50 Hz wartość znamionowa	24 V
● 1 przy AC przy 60 hz wartość znamionowa	24 V
Względne odchylenia dodatnie napięcia roboczego	10 %
Względne odchylenia ujemne napięcia roboczego	-10 %
pobierany prąd maksymalny	30 mA
znak referencyjny zgodnie z DIN EN 61346-2	P
Lampa	
element składowy produktu element świecący	Tak
rodzaj elementu świecącego	LED
Żywotność diody LED	100 000 h
Wykonanie sygnału optycznego	Światło ciągłe
Natężenie oświetlenia	1,62 cd
Natężenie oświetlenia	0,98 ... 2,34 cd
Obudowa	
wysokość	67 mm
szerokość	52 mm
średnica zewnętrzna elementu kolumny sygnalizacyjnej	50 mm
materiał	PC
kolor	Zielony
rodzaj montażu	bagnet
Stopień ochrony IP	IP54
Warunki środowiska	
temperatura otoczenia podczas pracy	-20 ... +50 °C
Zezwolenia Certyfikaty	

General Product Approval					EMV
CE EG-Konf.	UKCA	Confirmation	UL	EAC	RCM

other

Zmiany zastrzeone
© Copyright Siemens

Confirmation

Więcej informacji

Siemens has decided to exit the Russian market (see here).
https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.
Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informacje dotyczące opakowania
Informacje dotyczące opakowania


Information- and Downloadcenter
https://www.siemens.com/ic10


Industry Mall (System zamawiania online)
https://mall.industry.siemens.com/mall/pl/pl/Catalog/product?mlfb=8WD4220-5AC

CAx-Online-Generator
http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=8WD4220-5AC


Service&Support
https://support.industry.siemens.com/cs/ww/en/ps/8WD4220-5AC

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)
http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=8WD4220-5AC&lang=en





Zmiany zastrzeone
© Copyright Siemens



Ostatnia zmiana: 6.09.2023

Zmiany zastrzeone
© Copyright Siemens